

Table of Contents

Detail

NOTE: MOISTURE DRAINAGE DETAILS ARE DESIGNATED "MD".

OUTSULITE PANEL SYSTEM	OSL 1
OUTSULITE PANEL SYSTEM - WEEP SYSTEM DRAINAGE OPTION	OSL 1MD
OUTSULITE PANEL SYSTEM - HIGH IMPACT OPTION	OSL 2
BOARD JOINT AND FASTENER TREATMENT	OSL 3
OPENING PREPARATION - AQUAFASH® SYSTEM OR TREMCO EXOAIR230 WITH MESH	OSL 4a
OPENING PREPARATION - BACKSTOP® NTX OPTION	OSL 4b
OPENING PREPARATION - TREMCO DYMOMIC 100 OR BACKSTOP® FLASH AND FILL OPTION	OSL 4c
EPS BOARD INSTALLATION	OSL 5
PATENTED PANEL WEEP SYSTEM DRAINAGE OPTION	OSL 6MD
TERMINATION AT OPENINGS	OSL 7
TERMINATION AT SLAB ON GRADE	OSL 8
TERMINATION AT SLAB ON GRADE - DRAINAGE OPTION	OSL 8MD
SILL FLASHING INTEGRATION	OSL 9
HEAD FLASHING INTEGRATION - FIELD INSTALLED WINDOW	OSL 10
HEAD DRAINAGE OPTIONS - SHOP INSTALLED WINDOW	OSL 10MD
HORIZONTAL PANEL CONNECTION	OSL 11
HORIZONTAL PANEL CONNECTION - DRAINAGE OPTION	OSL 11MD
HORIZONTAL PANEL JOINT	OSL 12
HORIZONTAL PANEL JOINT - DRAINAGE OPTION	OSL 12MD

NOTE:

DRYVIT AND TREMCO MAKE NO REPRESENTATION REGARDING CONFORMITY OF ITS SUGGESTIONS TO MODEL BUILDING CODES, ENGINEERING CRITERIA, SPECIFIC APPLICATIONS, OR PROJECT LOCATIONS. ALL COMPONENTS INDICATED IN ILLUSTRATIONS, AS WELL AS OTHERS THAT MAY BE REQUIRED FOR THE INTEGRITY OF THE SYSTEM SHALL BE DESIGNED, DETAILED, AND ENGINEERED BY REPRESENTATIVES OF THE ARCHITECT, OWNER, OR CONTRACTOR TO BE IN CONFORMANCE WITH MODEL CODES, ARCHITECTURAL, AND ENGINEERING REQUIREMENTS PERTAINING TO SPECIFIC BUILDING PROJECTS.

DRYVIT AND TREMCO MAKE NO WARRANTY, EXPRESSED OR IMPLIED, AS TO THE ARCHITECTURAL DESIGN, ENGINEERING, OR WORKMANSHIP OF PROJECTS UTILIZING DRYVIT SYSTEMS OR PRODUCTS.



THE LIABILITIES OF DRYVIT AND TREMCO SHALL BE AS STATED IN THE DRYVIT AND TREMCO STANDARD WARRANTY. CONTACT DRYVIT AND TREMCO FOR A FULL AND COMPLETE COPY OF THE WARRANTY.

Detail

VERTICAL PANEL JOINT	OSL 13
VERTICAL DRAINAGE JOINT DESIGN (OPTIONAL)	OSL 13MD
INSIDE CORNER JOINT	OSL 14
OUTSIDE CORNER JOINT	OSL 15
INSIDE CORNER PANEL	OSL 16
OUTSIDE CORNER PANEL	OSL 17
PARAPET PANEL - METAL COPING	OSL 18
TERMINATION AT ROOF	OSL 19
TERMINATION AT ROOF - DRAINAGE OPTIONS	OSL 19MD
TERMINATION AT OTHER CLADDING	OSL 20
TERMINATION AT OTHER CLADDING - DRAINAGE OPTIONS	OSL 20MD
PENETRATIONS	OSL 21
SCUPPER TERMINATION	OSL 22
VENT PENETRATION	OSL 23
FASTENER THROUGH SYSTEM	OSL 24
AESTHETIC REVEALS	OSL 25
EPS SHAPES	OSL 26
SOFFIT/FASCIA PANEL	OSL 27
SOFFIT/FASCIA PANEL - DRAINAGE OPTIONS	OSL 27MD

This detail is for general informational purposes only. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project with respect to any architecture, engineering, and design requirements, including any local building code requirements. If this document is not reviewed and the product is not approved for use by a licensed design professional, the customer agrees that the detail may contain substantive flaws requiring correction, and hereby releases Tremco CPG Inc. from any and all liability related to the design and installation of the product. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

Outsulite™ Panel System

 <p>Dryvit Technical Support: 800-556-7752</p>	Detail: Table of Contents			File Name: TOC	 <p>Construction Products Group</p>
	Drawn by: EM	Checked by: CW	Scale: NTS		
	Revision #: 0	Revised by: NA	Date: 6/27/2024		
<small>www.tremcocpg.com</small>					