

1. Identification

\mathbf{O}		O I (
Safety	Data	Sheet	

Product Information Product Name:	011006 Skimit
Recommended Use	Restricted to professional users
Uses advised against	Not suitable for use in homeworker (DIY) applications
Supplier	Dryvit Systems, Inc. One Energy Way West Warwick, RI 02893 800-556-7752
Emergency telephone number	Chemtrec: +1-800-424-9300 USA Chemtrec: +1 703-527-3887 ex-USA

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200 Carc. 1A Muta. 1B Skin Sens. 1

GHS Pictograms



Signal Word Danger

Unknown Acute Toxicity 50.4% of the mixture consists of ingredients of unknown acute toxicity

HAZARD STATEMENTS

May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Precautionary Statements - Prevention Obtain special instructions before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Precautionary Statements - Response If on skin: Wash with plenty of water If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Precautionary Statements - Storage Store locked up.

Precautionary Statements - Disposal

Dispose of contents in accordance with local/regional/national/international regulations

3. Composition/Information on Ingred	lients	
ChemicalName	CAS-No.	<u>Wt.%</u>
Calcium carbonate (Limestone)	1317-65-3	10-25
Talc	14807-96-6	10-25
Titanium dioxide	13463-67-7	1.0-2.5
Stoddard Solvent	8052-41-3	0.1-1.0
Polyethylene glycol octylpheny ether	9036-19-5	0.1-1.0
Crystalline silica (Quartz) (Respirable)	14808-60-7	0.1-1.0
Ethylene glycol	107-21-1	0.1-1.0
ISOBUTYRIC ACID, MONOESTER WITH 2,2,4- TRIMETHYLPENTANE-1,3-DIOL	25265-77-4	0.1-1.0
Aluminium magnesium silicate	12174-11-7	0.1-1.0
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0.1-1.0
Amorphous Silica	7631-86-9	0.1-1.0
2-PROPENOIC ACID, 2-METHYL-	79-41-4	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures
4. FIISt-alu Measules

Descriptionoffirst-aidmeasures

General advice No Information Inhalation Move to fresh air. Skin contact Wash skin with soap and water. Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water. Symptoms No Information Notes to physician Treat symptomatically. Ingestion, depending on the dose, can cause i.a. abnormal behaviour, unconsciousness, convulsions, respiratory paralysis, pulmonary oedemas, as well as damages to liver and kidneys and can lead, in the worst case, to death. A quick treatment of an ethylene-glycol intoxication, when necessary with haemodialysis, may reduce the toxical effects. Intravenous ethyl alcohol in sodium

bicarbonate solution is an approved antitoxin.

5. Fire-fighting Measures

Extinguishingmedia

Suitable extinguishing media No Information Extinguishing media which shall not be used for safety reasons None.

Specialhazardsarisingfromthesubstanceormixture

No information available.

Adviceforfirefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personalprecautions, protective equipment and emergency procedures

Personal precautions

No Information

Advice for emergency responders

Use personal protective equipment. Ensure adequate ventilation, especially in confined areas.

Environmentalprecautions

Prevent product from entering drains. See Section 12 for additional Ecological information.

Methodsandmaterialsforcontainmentandcleaningup

Methods for Containment

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Methods for cleaning up

No Information

Referencetoothersections

See section 8 for more information.

7.HandlingandStorage

Conditionsforsafestorage, including any incompatibilities

Advice on safe handling

No Information

Hygiene measures

General industrial hygiene practice. When using do not eat or drink.

Storage Conditions

Storage ConditionsKeep container tightly closed in a dry and well-ventilated place.

8. Exposure Controls/Personal Protection

IngredientswithOccupationalExposureLimits

<u>ChemicalName</u>	ACGIHTLV-TWA	ACGIH-TLVSTEL	OSHAPEL-TWA	OSHAPEL-CEILING
Calcium carbonate (Limestone)	N.E.	N.E.	15 mg/m ³	N.E.
Talc	2 mg/m ³	N.E.	N.E.	N.E.
Titanium dioxide	10 mg/m ³	N.E.	15 mg/m ³	N.E.
Stoddard Solvent	100 ppm	N.E.	500 ppm	N.E.
Crystalline silica (Quartz) (Respirable)	0.025 mg/m ³	N.E.	50 µg/m ³	N.E.
Ethylene glycol	25 ppm	50 ppm	N.E.	N.E.
2-PROPENOIC ACID, 2-METHYL-	20 ppm	N.E.	N.E.	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures

Showers, eyewash stations, and ventilation systems.

Personal protective equipment

Eye/Face Protection

Safety glasses with side-shields.

Skin and body protection

Wear suitable protective clothing. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. |par Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. |par Penetration time of glove material: The exact break through time has to be found out by manufacturer of the protective gloves and has to be observed.

Respiratory protection

Respiratory protectionIn case of insufficient ventilation wear suitable respiratory equipment. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

General industrial hygiene practice. When using do not eat or drink.

9. Physical and chemical properties

Informationonbasicphysicalandchemicalproperties

	-
Physical state	Liquid
Appearance	No Information
Color	Colored liquid
Odor	Faint
Odor Threshold	No Information
рН	>8
Melting/freezing point, °C (°F)	No Information
Flash Point, °C (°F)	10 (50)
Boiling point/boiling range, °C (°F)	99 - 3,000 (210.2 - 5432)
Evaporation rate	No Information Available
Explosive properties	No Information
Flammability Limits in Air	Does not Support Combustion
Vapor pressure	No Information
Vapor density	No Information
Specific Gravity (g/cm ³)	0.960
Water solubility	Soluble in water
Partition coefficient	No Information
Autoignition temperature,°C	No Information
Decomposition Temperature °C	No Information
Viscosity, kinematic	No Information
Otherinformation	
Volatile organic compounds (VOC) content	No Information
Density, lb/gal	No Information

10. Stability and Reactivity

Reactivity

Stable under normal conditions.

Chemicalstability

Stable under recommended storage conditions.

Possibilityofhazardousreactions

None known based on information supplied.

ConditionstoAvoid

None known.

IncompatibleMaterials

None known based on information supplied.

HazardousDecompositionProducts

None known.

11. Toxicological Information

Informationontoxicological effects

Acute toxicity

Product Information

LD50 Oral	LD50 Dermal	LC50 Inhalation (Vapor)
99,999.00 mg/kg	99,999.00 mg/kg	99,999.00 mg/l

Component Information

CAS-No.	<u>ChemicalName</u>	LD50Oral	LD50Dermal	LC50Inhalation
9036-19-5	Polyethylene glycol octylpheny ether	4	N.I.	N.I.
107-21-1	Ethylene glycol	4700 mg/kg Rat	10600 mg/kg Rat	N.I.
25265-77-4	ISOBUTYRIC ACID, MONOESTER WITH 2,2,4-TRIMETHYLPENTANE-1,3-DIOL	3200 mg/kg Rat	>15200 mg/kg Rat	>3.55 mg/L Rat (Vapor)
4719-04-4	Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4	N.I.	N.I.
7631-86-9	Amorphous Silica	7900 mg/kg Rat	>2000 mg/kg Rabbit	N.I.
79-41-4	2-PROPENOIC ACID, 2-METHYL-	4	Acute Tox. 4 Hazard Statement: H312 Notes: D	7.1 (Vapor)
			(Minimum	
			classification) par	
			3	

N.I. = No Information

Skincorrosion/irritation.

May cause irritation. MILD SKIN IRRITANT. SKIN IRRITANT

Eyedamage/irritation.

No Information

<u>Respiratoryorskinsensitization.</u> respiratory distress.

respiratory distress

Ingestion.

May be harmful if swallowed.

Germcellmutagenicity.

Substances which should be regarded as being mutagenic to man.

Carcinogenicity.

Contains a known or suspected carcinogen.

CAS-No.	<u>ChemicalName</u>	IARC	<u>NTP</u>	<u>OSHA</u>
14807-96-6	Talc	Group 3	-	-
13463-67-7	Titanium dioxide	Group 2B	-	-
14808-60-7	Crystalline silica (Quartz) (Respirable)	Group 1	Known	-
12174-11-7	Aluminium magnesium silicate	Group 2B,Group 3	-	-
7631-86-9	Amorphous Silica	Group 3	-	-

Reproductivetoxicity.

No Information

<u>Specifictargetorgansystemictoxicity(singleexposure)</u>. No Information

<u>Specifictargetorgansystemictoxicity(repeatedexposure)</u>. No Information

Aspirationhazard.

No Information

PrimaryRoute(s)ofEntry No Information

12. Ecological Information

<u>Toxicity</u>

27.58751 % of mixture consists of components of unknown hazards to the aquatic environment.

Ecotoxicityeffects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Talc	_	LC50 96 h Brachydanio rerio	_
14807-96-6	-	>100 g/L	-
		LC50 96 h Oncorhynchus mykiss	\$
		41000 mg/L, LC50 96 h	
		Oncorhynchus mykiss 14 - 18	
		mL/L, LC50 96 h Lepomis	
Ethylene glycol	EC50 96 h Pseudokirchneriella	macrochirus 27540 mg/L, LC50	EC50 48 h Daphnia magna
107-21-1	subcapitata 6500 - 13000 mg/L	96 h Oncorhynchus mykiss	46300 mg/L
		40761 mg/L, LC50 96 h	
		Pimephales promelas 40000 -	
		60000 mg/L, LC50 96 h Poecilia	
		reticulata 16000 mg/L	
ISOBUTYRIC ACID,			
MONOESTER WITH 2,2,4-	EC50 72 h Pseudokirchneriella	LC50 96 h Pimephales promelas	
TRIMETHYLPENTANE-1,3-DIOL	subcapitata 18.4 mg/L	30 mg/L	-
25265-77-4			
Amorphous Silica	EC50 72 h Pseudokirchneriella	LC50 96 h Brachydanio rerio	EC50 48 h Ceriodaphnia dubia
7631-86-9	subcapitata 440 mg/L	5000 mg/L	7600 mg/L

Persistenceanddegradability

No data are available on the product itself.

Bioaccumulativepotential

Discharge into the environment must be avoided.

CAS-No.	<u>ChemicalName</u>	logPOW
107-21-1	Ethylene glycol	-1.93
25265-77-4	ISOBUTYRIC ACID, MONOESTER WITH 2,2,4 TRIMETHYLPENTANE-1,3-DIOL	4- 3.47
79-41-4	2-PROPENOIC ACID, 2-METHYL-	0.93

Mobilityinsoil

No information

Otheradverseeffects

No information

13.DisposalConsiderations

WasteDisposalGuidance

Disposal should be in accordance with applicable regional, national and local laws and regulations.

No Information

14. Transport Information

<u>DOT</u>

Hazard Class: Packing Group: II

<u>IMDG</u>

Hazard Class: UN Number: Packing Group:

<u>IATA</u>

15. Regulatory Information

International Inventories:

TSCA	Contains Non Listed Components
DSL	Contains Non Listed Components
EINECS/ELINCS	Contains Non Listed Components
ENCS	Contains Non Listed Components
IECSC	Contains Non Listed Components
KECI	Contains Non Listed Components
PICCS	Contains Non Listed Components
AICS	Contains Non Listed Components
NZIoC	No Information
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory
DSL	Canadian Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances IECSC
	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances
AICS	Australian Inventory of Chemical Substances
NZIoC	New Zealand Inventory of Chemicals

SARASECTION313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

CAS-No.

WeightPercent

0.1-1.0

TOXICSUBSTANCESCONTROLACT12(b):

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

<u>ChemicalName</u>	CAS-No.
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4
Benzophenone	119-61-9
Mercury	7439-97-6

CALIFORNIAPROPOSITION65CARCINOGENS

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

<u>ChemicalName</u>	CAS-No.
Titanium dioxide	13463-67-7
Aluminium magnesium silicate	12174-11-7
Benzophenone	119-61-9
N-(3,4-dichlorophenyl)-N,N-dimethylurea	330-54-1
Cadmium	7440-43-9
Beryllium	7440-41-7
Lead	7439-92-1
Nickel	7440-02-0
Cobalt	7440-48-4
Formaldehyde	50-00-0

CALIFORNIAPROPOSITION65REPRODUCTIVETOXINS

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

ChemicalName	CAS-No.
Ethylene glycol	107-21-1
Lead	7439-92-1
Mercury	7439-97-6
Cadmium	7440-43-9

16. Other Information										
Revision Date: 6/7/2018		Supersedes Date:		New SDS						
Reason for	Reason for revision: No Information									
Datasheet p	Datasheet produced by: Regulatory Department									
HMIS Ratir	igs:									
Health:	N.I.	Flammability:	N.I.	Physical Hazard:	N.I.	Personal Protection:	N.I.			
NFPA Ratings:										
Health:	N.I.	Flammability:	N.I.	Instability:	N.I.	Physical & Chemical:	N.I.			

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product where instructions and recommendations are not followed.