



- FRAMING, BY OTHERS
- APPROVED SUBSTRATE, BY OTHERS
- FEDDERLITE APPROVED PANEL ADHESIVE
- DRYVIT BASE COAT WITH EMBEDDED DRYVIT REINFORCING MESH
- 2" (50 MM) MIN THICKNESS EXPANDED POLYSTYRENE INSULATION BOARD
- DRYVIT BASE COAT AND REINFORCING MESH WRAPPED TO BACKSIDE OF INSULATION BOARD 2-1/2" (64 MM)
- DRYVIT/TREMCO APPROVED FLASHING MATERIAL (SEE NOTE 3)
- APPROVED TREMCO CPG SEALANT OR APPROVED EQUIVALENT WITH CLOSED CELL BACKER ROD, BY OTHERS
- DRYVIT DEMANDIT® SMOOTH OR COLOR PRIMET™ ON SURFACES TO RECEIVE SEALANT
- DRYVIT/TREMCO AIR/WATER-RESISTIVE BARRIER COATING (SEE NOTE 3)
- FEDDERLITE M CHANNEL, SPACING AS PER APPROVED SHOP DRAWINGS
- FASTENER (SEE NOTE 4)
- FEDDERLITE M MOUNTING RAIL, CONTINUOUS
- DRYVIT FINISH

NOTES:

1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD OR STANDARD PLUS MESH. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
2. LIGHT GAUGE STEEL FRAME SHALL BE DESIGNED FOR SPECIFIC PROJECT LOADS AND CONDITIONS TO MEET LOCAL BUILDING CODES BY LICENSED ENGINEER.
3. REFER TO DRYVIT PUBLICATION DS840 FOR AWRB AND FLASHING APPLICATION.
4. FASTENER DESIGN PER APPROVED ENGINEERED SHOP DRAWINGS.

The architecture, engineering, and design of the project using the Dryvit products are the responsibility of the project's design professional. All products and systems must comply with local building codes and standards. This detail is for general information and guidance only and Dryvit specifically disclaims any liability for the use of this detail. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project. This detail is subject to change without notice. Contact Dryvit to ensure you have the most recent version.

Fedderlite® M Panel System



Dryvit Technical Support: 800-556-7752

Detail: Penetration

Drawn by: HDE

Checked by: RB
CW

Scale: NTS

Date: 3/20/2024

File Name:

FLM 28



www.tremcocpg.com